

Iacucci Luigi Design
Furniture - Industrial Design - Project Management

IACUCCI LUIGI DESIGN

INFO HPL - ISPIRING LINES Collection



Facades Ventilades

FIELD OF USE

*interior furnishings (kitchen, bathroom, changing rooms, etc.)
outdoor furniture (playgrounds, tables, benches, etc.)
Architecture (facade cladding, balconies, signage, etc.)*

WE ARE AUTHORIZED RESELLERS OF HPL PANELS FOR THIS COLLECTION

CAMPO DI UTILIZZO

*arredamenti interni (cucina, bagno spogliatoi ecc.)
arredamenti esterni (parchi giochi, tavoli, panchine ecc.)
Architettura (rivestimentifacciate, balconi, segnaletica ecc.)*

SIAMO RIVENDITORI AUTORIZZATI DI HPL PER QUESTA COLLEZIONE

Island kitchen IL K001 made of HPL VIL001G collection



COLLECTION

INSPIRING LINES is a collection of HPL panels inspired by fibreglass fibres.

The idea was to break down barriers to the use of materials, achieving an unprecedented combination that lends itself to cladding on all scales, from interiors to architecture.

Developed using a specific production process for outdoor use of HPL that increases the resistance of colours exposed to sunlight, the decision was made to bring out the irregular texture of fibreglass, preserving its material charm and warmth, which amazes with the visual and tactile richness of the multiple finishes offered in 8 shades, while preserving all the advantages of the furniture surface in terms of resistance, safety and hygiene.

ABOUT HPL

HPL consists of several layers of paper bonded with phenolic resins using a combined high-pressure heat process.

The homogeneity and high density of the panels make them self-supporting and guarantee a high hold for all mechanical fasteners, such as screws, rivets or others. It is antibacterial, non-toxic, water-resistant and weather-resistant

HPL REGULATIONS / REQUIREMENTS

The panels are available in standard and slow flame propagation versions

(B-s1-D0)

and comply with the requirements of standard

EN 438:2016

EG

COLLEZIONE

INSPIRING LINES è una collezione di pannelli in HPL ispirata alle fibre della vetroresina.

Si è partiti dall'idea di sdoganare l'utilizzo dei materiali, per raggiungere una loro contaminazione inedita che si presta a rivestimenti su tutte le scale, dagli interni all'architettura.

Sviluppata utilizzando un processo produttivo specifico per l'uso esterno dell'HPL in grado di aumentare la resistenza dei colori esposti ai raggi solari, si è scelto di far riaffiorare la tessitura irregolare della vetroresina preservandone il fascino materico e il calore, che riesce a stupire per la ricchezza visiva e tattile delle molteplici finiture proposte in 8 Nuance, e preservare tutti i vantaggi della superficie di arredo in termini di resistenza, sicurezza e di igiene

CIRCA HPL

L'HPL è costituito da vari strati di carta legati da resine fenoliche con procedimento combinato di calore in alta pressione.

L'omogeneità e l'alta densità dei pannelli lo rendono autoportante e garantiscono un'elevata tenuta per tutti gli elementi di fissaggio meccanici, quali viti, rivetti o altri.

Risulta essere antibatterico, atossico, resistente all'acqua e agli agenti atmosferici


NORMATIVE E REQUISITI HPL

I Pannelli sono disponibili nelle varianti standard e in quella a lenta propagazione di fiamma

(B-s1-D0)

è conforme ai requisiti dello standard

EN 438:2016



Iacucci Luigi Design

Furniture - Industrial Design - Project Management

IACUCCI LUIGI DESIGN

PANELLI HPL - ISPIRING LINES Collection

COLORS SIZES AND THICKNESSES COLORI FORMATI E SPESSORI

CODE COLORS


La collezione di pannelli in HPLISIRING LINES e' composta da 8 Nuance nelle tonalità che vanno dal Giallo Ocra al Blue cobalto sono disponibili nel formato da mm. 3050x1300 in diversi spessori a seconda del suo utilizzo in ambiente interno o esterno.

CODICE COLORI

The HPLISIRING LINES panel collection consists of 8 Nuance ranging from Ochre Yellow to Cobalt Blue and is available in the format 3050x1300 mm in different thicknesses depending on whether it is used indoors or outdoors.

code.VIL01G = YELLOW / GIALLO
code.VIL02NS = BLACK SPACE / NERO SPAZIO
code.VIL03BC = BLUE SKY / BLUE CIELO
code.VIL04R = PINK ROSE / ROSA
code.VIL05C = HEAVENLY / CELESTE
code.VIL06V = GREEN / VERDE
code.VIL07S = SAND / SABBIA
code.VIL08T = DOVE / TORTORA

3050



1300

SIZES AND THICKNESSES

EG

thicknesses available for INTERNAL USE

from mm. 1- to - 25 where it is possible to choose the color of the thickness of the panel (HEART) on 14 proposals
NOTE heart color to be verified based on the thicknesses to be ordered.

STANDARD format panel internal use: mm. 3050x1300

thicknesses available for OUTDOOR USE

from mm. 2- 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 18

where it is possible to choose the color of the panel thickness (HEART) between BROWN or BLACK

STANDARD panel format for outdoor use: mm. 3050x1300

NOTE: it is possible to evaluate OVER SIZE formats on custom projects

FORMATI E SPESSORI

IT

spessori disponibili per UTILIZZO INTERNO

da mm. 1- a - 25 dove e' possibile scegliere la colorazione dello spessore del pannello (CUORE) su 14 proposte
NOTA BENE colore cuore da verificare in base agli spessori da ordinare.

formato STANDARD pannello utilizzo interno: mm. 3050x1300


spessori disponibili per UTILIZZO ESTERNO

da mm. 2- 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 18

dove e' possibile scegliere la colorazione dello spessore del pannello (CUORE) tra MARRONE o NERO

formato STANDARD pannello per utilizzo esterno: mm. 3050x1300

NOTA : e' possibile valutare formati OVER SIZE su progetti custom





Iacucci Luigi Design
Furniture - Industrial Design - Project Management

IACUCCI LUIGI DESIGN


SAMPLE - ISPIRING LINES Collection

EXAMPLE (texture size)

code.VIL05C

HEAVENLY / CELESTE

*The color print reference is indicative.
Riferimento stampa colore e' indicativo*



3050

1300



TEXTURE DETAIL SCALE 1/1